

Rewrite claim 1 in amended form as the following independent claim 1 (once amended):

1. (once amended) A work machine, comprising:
a main frame;
an engine enclosure mounted on said main frame;
an engine assembly mounted on said main frame;
a radiator assembly mounted on said main frame;
and
a transmission assembly (i) mechanically coupled to said engine assembly and (ii) mounted on said main frame such that said transmission assembly is interposed between said engine assembly and said radiator assembly,

wherein (i) said engine enclosure is devoid of a radiator assembly, (ii) said engine assembly is located (A) within said engine enclosure, and (B) adjacent to a front portion of said main frame, and (iii) said radiator assembly mounted on said main frame is located outside of said engine enclosure.

Claim 4, line 3, delete the comma "," and insert therefor a semicolon --;--.

Claim 6, line 3, delete the comma "," and insert therefor a semicolon --;--.

Claim 9, line 4, delete the comma "," and insert therefor --; and--.

Rewrite claim 10 in amended form as the following independent claim 10 (once amended):

10. (once amended) A work machine, comprising:
a main frame;
an engine enclosure mounted on said main frame;
an engine assembly mounted on said main frame
so that said engine assembly is located (i) within said
engine enclosure, and (ii) adjacent to a front portion of
said main frame;
a radiator assembly mounted on said main frame;
and
a cab assembly mounted on said main frame such
that said cab assembly is interposed between said engine
assembly and said radiator assembly,
wherein (i) said engine enclosure is devoid of
a radiator assembly and (ii) said radiator assembly
mounted on said main frame is located outside of said
engine enclosure.

Claim 12, line 3, delete the comma "," and
insert therefor a semicolon --;--.

Claim 14, line 3, delete the comma "," and
insert therefor a semicolon --;--.

Claim 17, line 4, delete the comma "," and
insert therefor --; and--.

Rewrite claim 18 in amended form as the
following independent claim 18 (once amended):

18. (once amended) A work machine, comprising:
a main frame;
an engine enclosure mounted on said main frame;
an engine assembly mounted on said main frame
so that said engine assembly is located (i) within said
engine enclosure, and (ii) adjacent to a front portion of
said main frame;

a radiator assembly mounted on said main frame;
a cab assembly mounted on said main frame such
that said cab assembly is interposed between said engine
assembly and said radiator assembly;

a work implement coupled to said main frame;
and

a ground engaging mechanism mechanically
coupled to said engine assembly,

wherein (i) actuation of said ground engaging
mechanism by said engine assembly causes said work
machine to be advanced over a ground segment, (ii) said
engine enclosure is devoid of a radiator assembly, and
(iii) said radiator assembly mounted on said main frame
is located outside of said engine enclosure.
